


KVG 11

Cone cable gland, polyamide, Pg 11, RAL 7035



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material cable gland	Polyamide, fibre reinforced
Protection class	IP54
Temp. range min	-20 °C
Temp. range max	80 °C
Thread type	PG
Ø Connection thread D	11
Length screw-in thread L	8 mm
Ø cable diameter min	6 mm
Ø cable diameter max	9 mm
Key width SW1	19 mm
Key width SW2	22 mm
Collar diameter E1	20 mm
Collar diameter E2	24 mm
Total length TL	31 mm
Product Color	RAL 7035
Type	KVG 11
Order no. RAL 7035	10060143
Packing unit	50
ETIM-Classification	EC000441

Recommended accessories

MUG 11	10060672
ADR 11	10061421

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

09.05.2021


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com