


## EMSKV-L 50

Cable gland, brass nickel-plated, M50, with long thread



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                           |
|--------------------------|---------------------------|
| Material cable gland     | Brass nickel-plated       |
| Material clamping cage   | Polyamide                 |
| Material sealing gasket  | EPDM                      |
| Temp. range min          | -40 °C                    |
| Temp. range max          | 100 °C                    |
| Protection class         | IP68 (5 bar 30 min), IP69 |
| Thread type              | M                         |
| Ø Connection thread D    | 50                        |
| Lead                     | 1,5                       |
| Length screw-in thread L | 15 mm                     |
| Ø cable diameter min     | 21 mm                     |
| Ø cable diameter max     | 35 mm                     |
| Ø cable diameter UL      | 24,3 mm - 33,4 mm         |
| Key width SW             | 55 mm                     |
| Collar diameter (E)      | 61 mm                     |
| Total length TL          | 57 mm - 68 mm             |
| Type of cable anchorage  | A                         |
| Install. torques fitting | 30 N m                    |
| Install. torques cap nut | 30 N m                    |
| Impact category          | 6                         |
| Surface                  | Nickel-plated             |
| Order no. nickel-plated  | 10065014                  |
| Packing unit             | 10                        |
| Type                     | EMSKV-L 50                |
| ETIM-Classification      | EC000441                  |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

|                      |          |
|----------------------|----------|
| <b>RDE 50</b>        | 10062188 |
| <b>MFD 50/25/050</b> | 10063102 |
| <b>EMMU 50</b>       | 10063147 |
| <b>BS 35</b>         | 10064017 |
| <b>MFD 50/09/080</b> | 10064394 |

15.06.2021

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice