


SKV 42

Cable gland, polyamide, Pg 42, RAL 7035



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material cable gland	Polyamide
Material sealing gasket	EPDM
Protection class	IP68 (5 bar 30 min)
Temp. range min	-40 °C
Temp. range max	100 °C
Glow wire test	750 °C
Thread type	PG
Ø Connection thread D	42
Length screw-in thread L	14 mm
Ø cable diameter min	28 mm
Ø cable diameter max	38 mm
Key width SW	60 mm
Collar diameter (E)	67 mm
Total length TL	58 mm - 67 mm
Type of cable anchorage	A
Product Color	RAL 7035
Type	SKV 42
Order no. RAL 7035	10066408
Packing unit	5
ETIM-Classification	EC000441

Recommended accessories

MUG 42	10060678
---------------	----------

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

ADR 42

10061427

BS 38

10064018

15.06.2021

Your Contact:


WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice