


## ESKE/1-L-i 16

Ex-cable gland, polyamide with long thread, RAL 9005/5012, M16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                |
|--------------------------|--------------------------------|
| Material cable gland     | Polyamide                      |
| Material sealing gasket  | EPDM                           |
| Temp. range min          | -40 °C                         |
| Temp. range max          | 75 °C                          |
| Protection class         | IP66 / IP68 (5 bar 30 min)     |
| Type of protection       | Ex eb, Ex tb                   |
| Ex-Certificate           | ATEX, IECEx                    |
| Glow wire test           | 750 °C                         |
| Thread type              | M                              |
| Ø Connection thread D    | 16                             |
| Lead                     | 1,5                            |
| Length screw-in thread L | 15 mm                          |
| Ø cable diameter min     | 4,5 mm                         |
| Ø cable diameter max     | 9 mm                           |
| Key width SW             | 20 mm                          |
| Collar diameter (E)      | 22 mm                          |
| Total length TL          | 37 mm - 43 mm                  |
| Install. torques fitting | 1,8 N m                        |
| Install. torques cap nut | 1,3 N m                        |
| Equipment                | Incl. connection thread gasket |
| Product Color            | RAL 5012 / RAL 9005            |
| Order no. RAL 9005       | 10103388                       |
| Type                     | ESKE/1-L-i 16                  |
| Packing unit             | 50                             |
| ETIM-Classification      | EC000441                       |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

|                |          |
|----------------|----------|
| <b>EMUG 16</b> | 10061781 |
| <b>RDE 16</b>  | 10062184 |
| <b>BS 9</b>    | 10064007 |

18.06.2021

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · [www.wiska.com](http://www.wiska.com)



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice