


## ESKE/1S-L-e 32

Ex-cable gland, polyamide with flex protection, RAL 9005, M32



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                |
|--------------------------|--------------------------------|
| Material cable gland     | Polyamide                      |
| Material sealing gasket  | EPDM                           |
| Temp. range min          | -40 °C                         |
| Temp. range max          | 75 °C                          |
| Protection class         | IP66 / IP68 (5 bar 30 min)     |
| Type of protection       | Ex eb, Ex tb                   |
| Ex-Certificate           | IECEx, ATEX                    |
| Glow wire test           | 750 °C                         |
| Thread type              | M                              |
| Ø Connection thread D    | 32                             |
| Lead                     | 1,5                            |
| Length screw-in thread L | 15 mm                          |
| Ø cable diameter min     | 13 mm                          |
| Ø cable diameter max     | 21 mm                          |
| Key width SW             | 36 mm                          |
| Collar diameter (E)      | 40 mm                          |
| Total length TL          | 141 mm - 150 mm                |
| Equipment                | Incl. connection thread gasket |
| Product Color            | RAL 9005                       |
| Order no. RAL 9005       | 10103507                       |
| Type                     | ESKE/1S-L-e 32                 |
| Packing unit             | 10                             |
| EAN number               | 4007685086721                  |
| Tariff number            | 39269097                       |
| ETIM-Classification      | EC000441                       |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

|                   |          |
|-------------------|----------|
| <b>EMUG 32 BK</b> | 10061784 |
| <b>RDE 32</b>     | 10062186 |
| <b>BS 21</b>      | 10064014 |

25.04.2023

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · [www.wiska.com](http://www.wiska.com)



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice