


## EMSKE-L 16 EMV-Z

Ex-EMC cable gland, earthing cones DIN 89345, brass nickel-plated, M16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                            |                            |
|----------------------------|----------------------------|
| Material cable gland       | Brass nickel-plated        |
| Material clamping cage     | Polyamide                  |
| Material sealing gasket    | EPDM                       |
| Material earthing insert   | Brass chromium-plated      |
| Temp. range min            | -40 °C                     |
| Temp. range max            | 75 °C                      |
| Protection class           | IP66 / IP68 (5 bar 30 min) |
| Type of protection         | Ex eb, Ex tb               |
| Ex-Certificate             | ATEX, IECEx                |
| Thread type                | M                          |
| Ø Connection thread D      | 16                         |
| Lead                       | 1,5                        |
| Length screw-in thread L   | 12 mm                      |
| Ø cable diameter min       | 5 mm                       |
| Ø cable diameter max       | 10 mm                      |
| Ø cable below cable shield | 7,5 mm                     |
| Ø cable diameter UL        | 6 mm - 8,6 mm              |
| Key width SW               | 20 mm                      |
| Collar diameter (E)        | 22 mm                      |
| Total length TL            | 33 mm - 41 mm              |
| Install. torques fitting   | 4 N m                      |
| Install. torques cap nut   | 4 N m                      |
| Surface                    | Nickel-plated              |
| Order no. nickel-plated    | 10065923                   |
| Type                       | EMSKE-L 16 EMV-Z           |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Packing unit

50

ETIM-Classification

EC000441

## Recommended accessories

|             |          |
|-------------|----------|
| RDE 16      | 10062184 |
| EMMU-EMV 16 | 10063211 |
| BS 10       | 10064008 |

20.06.2021

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice