


## EX-APM 13,5/25

Ex-adaptor, polyamide, Pg13,5-M25



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                |
|--------------------------|--------------------------------|
| Material                 | Polyamide, fibre reinforced    |
| Material sealing gasket  | EPDM                           |
| Temp. range min          | -40 °C                         |
| Temp. range max          | 75 °C                          |
| Protection class         | IP66 / IP68 (5 bar 30 min)     |
| Type of protection       | Ex eb, Ex tb                   |
| Ex-Certificate           | IECEx, ATEX                    |
| Thread type outer        | PG                             |
| Ø outer thread           | 13,5                           |
| Length screw-in thread L | 10 mm                          |
| Thread type inner        | M                              |
| Ø inner thread           | 25                             |
| Lead inner               | 1,5                            |
| Length internal thread   | 15,5 mm                        |
| Key width SW             | 29 mm                          |
| Collar diameter (E)      | 32 mm                          |
| Total length TL          | 28 mm                          |
| Form                     | A                              |
| Product Color            | RAL 9005                       |
| Equipment                | Incl. connection thread gasket |
| Order no. RAL 9005       | 10064758                       |
| Type                     | EX-APM 13,5/25                 |
| Packing unit             | 25                             |
| ETIM-Classification      | EC000938                       |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

**MUG 13,5**

10060683

03.08.2021

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com