


## ESSKV-4 16 LT EMV-Z

EMC-cable gland LowTemp, stainless steel A4, M16



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                |                             |
|--------------------------------|-----------------------------|
| Material cable gland           | Stainless steel A4 (1.4404) |
| Material sealing gasket        | Silicone                    |
| Material clamping cage         | Polyamide                   |
| Material earthing insert       | Brass chromium-plated       |
| Temp. range min                | -60 °C                      |
| Temp. range max                | 100 °C                      |
| Protection class               | IP69, IP68 (5 bar 30 min)   |
| Thread type                    | M                           |
| Ø Connection thread D          | 16                          |
| Lead                           | 1,5                         |
| Length screw-in thread L       | 5 mm                        |
| Ø cable diameter min           | 4,5 mm                      |
| Ø cable diameter max           | 10 mm                       |
| Ø cable below cable shield max | 7,5 mm                      |
| Key width SW                   | 22 mm                       |
| Collar diameter (E)            | 24 mm                       |
| Total length TL                | 26 mm - 34 mm               |
| Type of cable anchorage        | A                           |
| Install. torques cap nut       | 4 N m                       |
| Install. torques fitting       | 4 N m                       |
| WISKA-Order no.                | 10065874                    |
| Type                           | ESSKV-4 16 LT EMV-Z         |
| Packing unit                   | 10                          |
| ETIM-Classification            | EC000441                    |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

|                  |          |
|------------------|----------|
| <b>RDE 16 LT</b> | 10063908 |
| <b>BS 10</b>     | 10064008 |
| <b>ESMU 16</b>   | 10064189 |

04.08.2021

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice