

HOLKKITIIVISTEET VEDONPOISTOLLA



KPK-TVP

Materiaali:
Sinkitty messinki
IP68

Tyyppi	Snro	Kaapelin Ø mm	Kierre mm	Avainväli mm	Kpl	Paino kg/kpl
KPK M12 TVP	1742212	3...6	5	14	100	0,012
KPK M16 TVP	1742216	5...9	5	17	100	0,016
KPK M20 TVP	1742220	9...13	6	22	100	0,031
KPK M25 TVP	1742225	11...16	7	27	50	0,043
KPK M32 TVP	1742232	14...21	8	34	25	0,072
KPK M40 TVP	1742240	19...27	8	43	10	0,122
KPK M50 TVP	1742250	24...35	9	55	5	0,227
KPK M63 TVP	1742263	32...42	10	65	5	0,3

EMC-SUOJATUT HOLKKITIIVISTEET VEDONPOISTOLLA



KPK-TVP/EMC-Y

Materiaali:
EMC-suojattu
sinkitty messinki
IP68

Tyyppi	Snro	Kaapelin Ø mm	Kierre mm	Avainväli mm	Kpl	Paino kg/kpl
KPK M12 TVP/EMC-Y	1727112	3...6,5	5	14	100	0,018
KPK M16 TVP/EMC-Y	1727116	4,5...10	5	17	100	0,025
KPK M20 TVP/EMC-Y	1727120	6...12	6	22	100	0,028
KPK M25 TVP/EMC-Y	1727125	11...17	7	27	50	0,054
KPK M32 TVP/EMC-Y	1727132	15...21	8	34	25	0,081
KPK M40 TVP/EMC-Y	1727140	19...28	8	43	10	0,099
KPK M50 TVP/EMC-Y	1727150	27...38	9	55	5	0,156
KPK M63 TVP/EMC-Y	1727163	34...44	10	65	5	0,190
KPK M63L TVP/EMC-Y	1727164	37...53	10	75	5	0,750
KPK M75T/EMC-Y	1727170	57...64	18	90	4	1,100
KPK M85T/EMC-Y	1727172	69...74	20	108	4	1,000
KPK M105T/EMC-Y	1727174	75...90	22	130	1	1,190

ATEX-HOLKKITIIVISTEET VEDONPOISTOLLA



KPK-TVP EX

Materiaali:
Sinkitty messinki
Ex II 2 GD EEx e
IP68

Tyyppi	Snro	Kierre mm	Avainväli mm	Kpl		
KPK M20 TVP EX	1727262	6	22	100		
KPK M25 TVP EX	1727263	7	27	50		
KPK M32 TVP EX	1727264	8	34	25		
KPK M40 TVP EX	1727265	8	43	10		

HAPONKESTÄVÄT HOLKKITIIVISTEET VEDONPOISTOLLA



KPK-HVP

Materiaali:
Haponkestävä teräs,
IP68

Tyyppi	Snro	Kpl	Paino kg/kpl			
KPK M16 HVP	1717216	10	0,016			
KPK M20 HVP	1717220	10	0,031			
KPK M25 HVP	1717225	10	0,043			
KPK M32 HVP	1717232	10	0,072			

KUUSIKULMAISET LAAJENNUKSET



KE-TH

Materiaali:
Sinkitty messinki

Tyyppi	Snro	Avainväli Ø mm	Korkeus mm	Kierre mm	Kpl	Paino kg/kpl
KE M12-16 TH	1727812	18	16	5	100	0,012
KE M16-20 TH	1727816	22	16,5	5	100	0,013
KE M20-25 TH	1727820	27	18,5	6	50	0,022
KE M25-32 TH	1727825	34	20,5	7	25	0,024
KE M32-40 TH	1727832	42	23,5	8	25	0,037
KE M40-50 TH	1727840	52	30	8	10	0,074
KE M50-63 TH	1727850	65	32,5	9	10	0,147

SUPISTUKSET



KR-T

Materiaali:
Sinkitty messinki

Tyyppi	Snro	Ulkoinen Ø mm	Korkeus mm	Kierre mm	Kpl	Paino kg/kpl
KR M16-12 T	1727916	20	8,5	6	100	0,007
KR M20-12T	1727920	24	9	6,5	100	0,009
KR M20-16 T	1727921	24	9	6,5	100	0,015
KR M25-16 T	1727925	30	10	7	100	0,017
KR M25-20T	1727926	30	10	7	100	0,019
KR M32-20 T	1727932	39	11,5	8	50	0,025
KR M32-25 T	1727933	39	11,5	8	50	0,043
KR M40-25T	1727940	50	12,5	9	25	0,065
KR M40-32 T	1727941	50	12,5	9	25	0,066
KR M50-32 T	1727950	57	14	10	10	0,071
KR M50-40 T	1727951	57	14	10	10	0,128
KR M63-40T	1727963	64	14	10	10	0,14
KR M63-50 T	1727964	64	14	10	10	0,163

ADAPTERIT



PK-M

Materiaali:
Sinkitty messinki

Tyyppi	Snro	Kpl	Paino kg/kpl			
KR PK16 M20 T	1742380	100	0,007			
KR PK21 M25 T	1742382	100	0,012			
KR PK29 M25 T	1742384	100	0,058			



M-PK

Materiaali:
Sinkitty messinki

Tyyppi	Snro	Avainväli Ø mm	Korkeus mm	Kuusion korkeus mm	Kpl	Paino kg/kpl
KR M16 PK7 TH	1727716	17	8	5	100	0,008
KR M20 PK9 TH	1727720	22	9	6	100	0,009
KR M25 PK11 TH	1727725	27	10	7	100	0,011
KR M25 PK13,5 TH	1727726	27	10	7	100	0,012
KR M32 PK13,5 TH	1727732	34	11	8	50	0,013
KR M32 PK16 TH	1727733	34	11	8	50	0,013
KR M32 PK21 TH	1727734	34	11	8	50	0,022
KR M40 PK16 TH	1727740	43	12	8	25	0,022
KR M40 PK21 TH	1727741	43	12	8	25	0,023
KR M40 PK29 TH	1727742	43	12	8	25	0,024
KR M50 PK21 TH	1727750	55	13	9	25	0,035
KR M50 PK29 TH	1727751	55	13	9	25	0,035
KR M50 PK36 TH	1727752	55	13	9	10	0,037
KR M63 PK29 TH	1727763	65	14	10	10	0,074
KR M63 PK36 TH	1727764	65	14	10	10	0,093
KR M63 PK42 TH	1727765	65	14	10	10	0,147

SULKUTULPAT



KST-TT

Material:
Sinkitty messinki

Tyyppi	Snro	Ulkoinen Ø mm	Kpl	Paino kg/kpl		
KST M12 TT	1747512	16	100	0,008		
KST M16 TT	1747516	20	100	0,008		
KST M20 TT	1747520	24	100	0,014		
KST M25 TT	1747525	28	100	0,027		
KST M32 TT	1747532	35	50	0,041		
KST M40 TT	1747540	45	50	0,056		
KST M50 TT	1747550	55	25	0,13		
KST M63 TT	1747563	68	10	0,189		

ATEX-SULKUTULPAT



KST-T EX

Materiaali:
Sinkitty messinki
II 2 GD EEx e
IP68

Tyyppi	Snro	Ulkoinen Ø mm	Kpl			
KST M20 T EX	1727272	24	100			
KST M25 T EX	1727273	28	100			
KST M32 T EX	1727274	35	50			

KUUSIKULMAISET VASTAMUTTERIT



KVM-T

Materiaali:
Sinkitty messinki

Tyyppi	Snro	Paksuus mm	Kpl	Paino kg/kpl		
KVM M12 T	1742312	2,8	100	0,002		
KVM M16 T	1742316	2,8	100	0,003		
KVM M20 T	1742320	3	100	0,005		
KVM M25 T	1742325	3,5	100	0,009		
KVM M32 T	1742332	4	100	0,011		
KVM M40 T	1742340	5	50	0,025		
KVM M50 T	1742350	5	50	0,031		
KVM M63 T	1742363	6	50	0,057		

PK-M, VASTAAVUUSTAULUKKO

