

Presence detector

IR Quattro SLIM XS

DALI-2 Input Device - round

EAN 4007841 057527

STEINEL[®]
PROFESSIONAL



Infrared sensor
360°



max. 4 x 4 m
presence



IP20



10 - 1000 lux



ideal 2,5 - 4 m

5 JAHRE
HERSTELLER
GARANTIE

manufacturer's
warranty
steinel-professional.de/garantie



CE

Function description

Noticeably Inconspicuous. IR Quattro SLIM XS, the extra-slim presence detector in concealed-box format. Fits into any standard concealed box. Overall height of just 6 mm. High-precision 360° infrared sensor with globally unique retina lens and 16 sq.m square presence detection zone (4 x 4 m). DALI-2 Input Device enables sensors to communicate collected sensor data to higher-level lighting management systems.

Technical specifications

Type	Presence detector
Dimensions (Ø x H)	94 x 55 mm
Mains power supply	16 V
Sensor Technology	passive infrared
Application, place	Indoors
Application, place, room	one-person office, hotel room, care room, function room / ancillary room, WC / washroom, indoors
Installation site	ceiling
Type of installation	Concealed wiring
Switching zones	408 switching zones
Electronic scalability	No
Mechanical scalability	No
Mounting height	2,50 – 4,00 m
Optimum mounting height	2,8 m
Detection angle	360 °
Sneak-by guard	No
Capability of masking out individual segments	No
Reach, detail	Retina lens and hexagonal Fresnel structure
Reach, radial	4 x 4 m (16 m²)

Reach, presence	4 x 4 m (16 m²)
Twilight setting TEACH	Yes
Twilight setting	10 – 1000 lx
Time setting	30 s – 30 Min.
Switching output 2, floating	No
Control output, Dali	Addressable/slave
Constant-lighting control	Yes
Basic light level function	No
With remote control	No
Interconnection	Yes
IP rating	IP20
Material	Plastic
Ambient temperature	0 – 40 °C
Colour	white
Colour, RAL	9010
Manufacturer's Warranty	5 years
Version	DALI-2 Input Device - round
PU1, EAN	4007841057527

<https://www.steinel.de>

Presence detector

IR Quattro SLIM XS

DALI-2 Input Device - round

EAN 4007841 057527


STEINEL[®]
PROFESSIONAL

Accessories

EAN 4007841 009151

Remote control Smart Remote


Detection Zone



Mögliche Montagehöhe: 2,50 m – 4,00 m

Orange: Präsenz, tangential und radial

Dimension Drawing



Circuit diagram

