



SIRIUS 7PV15 timing relay

The SIRIUS 7PV15 electronic timing relay is used in control, starting, and protective circuits for all switching operations involving time delays and offers an optimal price/performance ratio. Typical areas of application include heating, ventilation, air-conditioning systems, and compressors.

- Space savings in industrial control cabinets and power distribution boards, thanks to a slimline design with a width of only 17.5 mm
- Reduced device variance resulting in reduced stock-keeping, thanks to a wide voltage range from 12 to 240 V AC/DC
- Easy handling, thanks to DIN rail mounting without tools


[siemens.com/sirius-timing-relays](https://www.siemens.com/sirius-timing-relays)

SIEMENS


Electronic timing relays in 17.5 mm enclosure

Function	Time range	Rated control supply voltage V_s	Contact elements	Order No.
Multifunction timing relays				
7 functions	0.05 s – 100 h	12–240 V AC/DC	1 CO contact	7PV1508-1AW30
7 functions	0.05 s – 100 h	12–240 V AC/DC	2 CO contacts	7PV1508-1BW30
ON delay timing relays				
ON delay	0.05 s – 1 s	24 V AC/DC 200–240 V AC	1 CO contact	7PV1511-1AP30
ON delay	0.5 s – 10 s	24 V AC/DC 100–127 V AC	1 CO contact	7PV1512-1AQ30
ON delay	0.5 s – 10 s	24 V AC/DC 200–240 V AC	1 CO contact	7PV1512-1AP30
ON delay	5 s – 100 s	24 V AC/DC 100–127 V AC	1 CO contact	7PV1513-1AQ30
ON delay	5 s – 100 s	24 V AC/DC 200–240 V AC	1 CO contact	7PV1513-1AP30
ON delay	0.05 s – 100 h	12–240 V AC/DC	1 CO contact	7PV1518-1AW30
OFF delay timing relays				
OFF delay with auxiliary voltage	0.05 s – 100 h	12–240 V AC/DC	1 CO contact	7PV1538-1AW30
OFF delay without auxiliary voltage	0.05 s – 100 s	12–240 V AC/DC	1 CO contact	7PV1540-1AW30
Clock				
Clock	0.05 s – 100 h	24 V AC/DC 200–240 V AC	1 CO contact	7PV1558-1AW30
Star-delta timing relays				
Star-delta	0.05 s – 100 h	12–240 V AC/DC	2 CO contacts	7PV1578-1BW30

Multifunction timing relays with 7 functions 7PV1508-1AW30



OFF delay without auxiliary voltage	Clock	Star-delta
7PV1540-1AW30 OFF DELAY A1/A2 15/18 15/16 t	7PV1558-1AW30 CLOCK PULSE A1/A2 15/18 15/16 Pausenzeit Impulszeit Impuls time	7PV1578-1BW30 STAR/DELTA A1/A2 15/18 25/28 t y t _{max}



Get to know our complete range of timing relays:
[siemens.com/sirius-timing-relays](https://www.siemens.com/sirius-timing-relays)

For example, our globally deployed SIRIUS 3RP25 timing relay – a compact and reliable all-rounder with a modern design.

Published by
Siemens AG

Smart Infrastructure
Electrical Products
Werner-von-Siemens-Str. 48–50
92224 Amberg, Deutschland

For the U.S. published by
Siemens Industry Inc.

100 Technology Drive
Alpharetta, GA 30005
United States
Article-No. SIEP-B10071-00-7600
© Siemens 2021

Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

All product designations may be trademarks or product names of Siemens AG or other companies whose use by third parties for their own purposes could violate the rights of the owners.