


A	B	C	D	E	F	G	H	J	K							
									ARTIKELNR./ ARTICLE NO. E2467112							
									MÄRKSTRÖM/ CURRENT RATING 16 A							
									MEASURING EQUIPMENT CURR.- TRAFO- SPACEENERGY- METER- SPACE							
									FAST ANSLUTNING/ FIXED CONNECTIONS <125A>125A							
									CEE-OUTLETS 3-POLE/230V 16A32A63A125A							
									SCHUKO OUTLETS 2-POLE/230V 16A 3							
									CEE-OUTLETS 5-POLE/400V 16A32A63A125A 2							
									JFB/RCCB <0,03A>0,3A>0,03A & <0,3A 1							
									JFB/RCCB Variable							
									VIKT/WEIGHT 3,5 kg							
This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.									CONTAINERCENTRAL U 16MiniCO/1/32-1 EN		EL-BJÖRN www.elbjorn.com		RITAD AV/DRAWN BY CG	DATUM/DATE 130709	NEXT SHEET 2	SHEET 1
											SIGN		REVISION/ISSUE A*		RITNINGS NR./DRAWING E2467112	

A	B	C	D	E	F	G	H	J	K
									ARTIKELNR/ ARTICLE NO. E2467112
									MÄRKSTRÖM/ CURRENT RATING 16 A
									MEASURING EQUIPMENT CURR- TRAFO- SPACEENERGY- METER- SPACE
									FAST ANSLUTNING/ FIXED CONNECTIONS <125A>125A
									CEE-OUTLETS 3-POLE/230V 16A32A63A125A
									SCHUKO OUTLETS 2-POLE/230V 16A 3
									CEE-OUTLETS 5-POLE/400V 16A32A63A125A 2
									JFB/RCCB <0,03A>0,03A 1
									JFB/RCCB Variable
									VIKT/WEIGHT 3,5 kg
This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.									RITAD AV/DRAWN BY CG
CONTAINERCENTRAL U 16MiniCO/1/32-1 EN									DATUM/DATE 130709
									NEXT SHEET 3
www.elbjorn.com									SHEET 2
									RITINGS NR./DRAWING E2467112

A		B		C		D		E		F		G		H		J		K	
PC.	Position	Description		Type		Manufacturer		Data		Article No.		E-number(SE)		ARTIKELNR./ ARTICLE NO. E2467112					
1		Elväska		MINI (11mod)		El-Björn		270 x 310 x 115						MÄRKSTRÖM/ CURRENT RATING 16 A					
2	F01, F02	Automatsäkring		PLS6, 6kA, 1P		Eaton		C 13A		242679		2141468		MEASURING EQUIPMENT					
1	F03	Automatsäkring		PLS6, 6kA, 1P		Eaton		C 10A		242677		2141467		CURR- TRAFO- SPACE					
1	JF01	Jordfelsbrytare		PFIM, 4-P		Eaton		40A, 30mA		235439		2162237		ENERGY METER- SPACE					
1	S03	Vaggströmställare		0-1		Arcoelectric				C1550ABBB01				FAST ANSLUTNING/ FIXED CONNECTIONS					
1	X00	Panelintag		416BU6		ABB		16A, 400V, IP44		416BU6		1963883		<125A >125A					
3	X01, X02	Schukouttag		35218, Typ F, Skruv		Mennekes		16A, 230V, IP54		11020EB				CEE-OUTLETS 3-POLE/230V 16A 32A 63A 125A					
2	X04, X05	Paneluttag		416RU6		ABB		16A, 400V, IP44		416RU6		1961483		SCHUKO OUTLETS 2-POLE/230V 16A 3					
														CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A 2					
														JFB/RCCB <0,03A >0,3A >0,03A & <0,3A 1					
														JFB/RCCB Variable					
														VIKT/WEIGHT 3,5 kg					