SIEMENS

Data sheet 3VA9114-0RS20



residual current device RCD510 Basic RCD type A side mounted rated resid. current 0.03...5A at 50/60Hz adjustable tv 0...3000ms 4-pole In=160A Ue=127-480V accessory for: 3VA1 with terminal connection

| Model | | | | |
|--|---|--|--|--|
| Product brand name | SENTRON | | | |
| Product designation | Accessories | | | |
| Product version | Residual current protection module type A | | | |
| Product group primary device | 3VA11 | | | |
| General technical data | | | | |
| Mounting type | screw fixing | | | |
| Number of poles | 4 | | | |
| Protection class IP / on the front | IP40 | | | |
| Current | | | | |
| Current / at AC / rated value | 160 A | | | |
| Response value / of the residual current | 0.03;0.05;0.1;0.3;0.5;1;3;5 | | | |
| Mechanical Design | | | | |
| Product function | | | | |
| communication with residual current device | No | | | |
| Product function / Integrated / alarm management | Yes | | | |

| Product function / Integrated / alarm management | Pre-alarm indication 30% | |
|---|-----------------------------------|--|
| Product function / remote tripping | No | |
| Functionality/sealable | Yes | |
| Product function / selectable tripping characteristic | No | |
| Product function / selectable RCD or monitoring mode | Yes | |
| Remote reset function | No | |
| Position / of the infeed / on the RCD component | Top or bottom | |
| Type of electrical connection / for main current circuit | Cable connection of basic breaker | |
| Setting values / of the limit value of not tripping time | 0;0.06;0.15;0.3;0.5;1.0;2.0;3.0 | |
| Type of trip indicator / electrical | Yes | |
| Type of trip indicator / communication | No | |
| Rated frequency | 60 Hz | |
| Operating frequency | 50/60Hz | |
| Height | 187 mm | |
| Width | 131.8 mm | |
| Depth | 70 mm | |
| Net weight | 964 g | |
| Ambient temperature / during operation | | |
| • minimum | -25 °C | |
| • maximum | 70 °C | |

Certificates

General Product Approval EMC Declaration of Conformity





Miscellaneous







| Test Certific- ates | Shipping Approval | other | | |
|------------------------------------|---------------------|-------------------------------|---------------|--|
| Type Test Certificates/Test Report | Lloyd's Register | Manufacturer De- claration | Miscellaneous | |

Information- and Downloadcenter (Catalogs, Brochures,...)

LRS

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9114-0RS20

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3VA9114-0RS20


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9114-0RS20


CAx-Online-Generator


http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications







05/06/2020 🖸 last modified: