


















## PANEL PERFORMANCE 1200




|                                  | EAN           | l x w x h [mm] | W  | VAC      | Hz         | lm   | lm/W |
|----------------------------------|---------------|----------------|----|----------|------------|------|------|
| PL PFM 1200 33W/3000K            | 4058075440050 | 1195x295x9     | 33 | 220-240V | 50/60 Hz   | 4000 | 120  |
| PL PFM 1200 33W/4000K            | 4058075440074 | 1195x295x9     | 33 | 220-240V | 50/60 Hz   | 4000 | 120  |
| PL PFM 1200 DALI 33W/3000K       | 4058075440135 | 1195x295x9     | 33 | 220-240V | 0/50/60 Hz | 4000 | 120  |
| PL PFM 1200 DALI 33W/4000K       | 4058075440173 | 1195x295x9     | 33 | 220-240V | 0/50/60 Hz | 4000 | 120  |
| PL PFM 1200 30W/3000K UGR19      | 4058075440098 | 1195x295x9.8   | 30 | 220-240V | 50/60 Hz   | 3450 | 115  |
| PL PFM 1200 30W/4000K UGR19      | 4058075440111 | 1195x295x9.8   | 30 | 220-240V | 50/60 Hz   | 3600 | 120  |
| PL PFM 1200 DALI 30W/3000K UGR19 | 4058075440210 | 1195x295x9.8   | 30 | 220-240V | 0/50/60 Hz | 3450 | 115  |
| PL PFM 1200 DALI 30W/4000K UGR19 | 4058075440630 | 1195x295x9.8   | 30 | 220-240V | 0/50/60 Hz | 3600 | 120  |

|                                  | EAN           | K    | IP | ◊    | R <sub>a</sub> | ⌈ (°C)    | PF     | 👤      |
|----------------------------------|---------------|------|----|------|----------------|-----------|--------|--------|
| PL PFM 1200 33W/3000K            | 4058075440050 | 3000 | 40 | 120° | > 80           | -10...+45 | > 0.93 | 1.6kg  |
| PL PFM 1200 33W/4000K            | 4058075440074 | 4000 | 40 | 120° | > 80           | -10...+45 | > 0.93 | 1.6kg  |
| PL PFM 1200 DALI 33W/3000K       | 4058075440135 | 3000 | 40 | 120° | > 80           | -10...+45 | > 0.93 | 1.6kg  |
| PL PFM 1200 DALI 33W/4000K       | 4058075440173 | 4000 | 40 | 120° | > 80           | -10...+45 | > 0.93 | 1.6kg  |
| PL PFM 1200 30W/3000K UGR19      | 4058075440098 | 3000 | 40 | 90°  | > 80           | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 30W/4000K UGR19      | 4058075440111 | 4000 | 40 | 90°  | > 80           | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 DALI 30W/3000K UGR19 | 4058075440210 | 3000 | 40 | 90°  | > 80           | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 DALI 30W/4000K UGR19 | 4058075440630 | 4000 | 40 | 90°  | > 80           | -10...+45 | > 0.93 | 1.7 kg |








PL SURFACE MOUNT KIT 1200  
**EAN 4058075108820**



PL 1200x300 SURFACE MOUNT KIT VAL  
**EAN 4058075472952**




PL 1200x300 RECESSED MOUNT FRAME  
**EAN 4058075472976**



| 1x 2x 3x ... nx            | C10A   | B16A   | C16A   | DALI                                   | I <sub>out</sub> [mA] | DIM |
|----------------------------|--------|--------|--------|----------------------------------------|-----------------------|-----|
| <b>PANEL PFM 1200 DALI</b> | n = 10 | n = 11 | n = 16 | OSRAM OTI DALI<br>50/220...240/1A4 NFC | 900                   | ✓   |
| <b>PANEL PFM 1200</b>      | n = 20 | n = 21 | n = 33 | —                                      | —                     | —   |

|                            |  |
|----------------------------|--|
| <b>PANEL PFM 1200 DALI</b> |  |
| <b>PANEL PFM 1200</b>      |  |



CE EAC



RoHS



C10449057  
 G11094520  
 25.03.20



LEDVANCE GmbH  
 Steinerne Furt 62  
 86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)