TUNGSRAM[™]

Innovation is our heritage EST. 1896



9 lumens/watt

Emergency EXIT Signs Emergency Exit G1 TU 3 LI S RM 93118891

Product information

Tungsram EXITs signs are a reliable but affordable solution in any project from public buildings to factory sites.

Product data

Product code	93118891
Description	Emergency Exit G1 TU 3 LI S RM
DIALux description	TUNGSRAM - Emergency EXIT Signs - 50lm - 5.5W - 6500K - 93118891[SKU] - Recessed
Brand	TUNGSRAM
Product category	Emergency
Product family	Emergency EXIT Signs
Application areas	Office, public buildings, Retail, Hospitality
DUN Code	15994100075438
Light source	LED
Sensor	No sensor
Emergency option	Yes
Mounting type	Recessed
Weight [kg]	0,9
Body color	Green
Product dimensions (Length) x (Width) x (Height) [mm]	300 x 192 x 126
Operating temperature max [°C]	40
Rated ambient temperature (tq) [°C]	25
Cooling	Passive
Certifications	CE
General warranty [year]	5

Performance data

System power [W]	5,5
Nominal luminous flux [lm]	50
Rated efficacy [lm/W]	9,090909090909
IP front (optical)	65
IP back (electrical)	65
IP Rating	65
Impact resistance (IK)	IK03

Photometrical data

Nominal correlated colour temperature (CCT) [K]	6500
Nominal beam angle [°]	120
Photobioligical risk	RGO


Electrical data

IEC protection class	Class II
Operating voltage [V]	220-240V
Rated frequency or frequency range [Hz]	50/60Hz
Lamp input current [mA]	0,07
Nominal lamp power factor	0,4
Controllability	Static

Logistic data

Box quantity	1
Shipment	Standard
Product status	Available

Light distribution



Downloads & Links

Go to the catalog site (HTTP) Datasheet (PDF) Installation guide (PDF) Images (HTTP) Declaration of Conformity (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.