

# **JIUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896






# Tung Panel Premium Tung Panel P 1x4 D 38W 840 19 93118672

# **Product information**

Our Premium panel range have superior efficiency and extralong lifetime.

We made installation super easy, making the fixtures ultra-thin and ultra-light and by preinstalling the holder for the safety cable. The special prismatic diffuser spreads the light evenly and reduces the glaring effect dramatically.



# Product data

Product code	93118672
Description	Tung Panel P 1x4 D 38W 840 19
DIALux description	TUNGSRAM - Tung Panel Premium - 4560lm - 38W - 4000K - 80CRI - 93118672[SKU] - Recessed
Brand	TUNGSRAM
Product category	Edgelit Panel
Product family	Premium Edgelit Panel
Application areas	Office, public buildings
DUN Code	15994100072741
Light source	LED
Sensor	No sensor
Emergency option	No EM
Mounting type	Recessed
Weight [kg]	2,25
Body color	White RAL9003
Product dimensions (Length) x (Width) x (Height) [mm]	1195 x 295 x 10
Operating temperature min [°C]	-20
Operating temperature max [°C]	40
Rated ambient temperature (tq) [°C]	25
Cooling	Passive
Certifications	CE
General warranty [year]	5

#### Performance data

System power [W]	38
Nominal luminous flux [lm]	4560
Rated efficacy [lm/W]	120
Rated life L80/B20 [h]	50000
IP front (optical)	20
IP back (electrical)	20
IP Rating	20
Impact resistance (IK)	02
Energy efficiency class (EEC)	A+

#### Photometrical data

Photometric distribution	Medium
Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	>=80
Nominal beam angle [°]	90
UGR value (4H8H)	≤19
Colour consistency in MacAdam steps SDCM	≤4
Photobioligical risk	RGO


# Electrical data

IEC protection class	Class II
Operating voltage [V]	220-240V
Rated frequency or frequency range [Hz]	50-60Hz
Lamp input current [mA]	<0.3A @ 230Vac
Nominal lamp power factor	>=0.9
Controllability	Dali

### Logistic data

Box quantity	1
Shipment	Standard
Product status	Available

#### Light distribution



#### Downloads & Links

Go to the catalog site (HTTP) Datasheet (PDF) Installation guide (PDF) Installation guide for Surface Kit (PDF) Images (HTTP) Datasheet (FR) (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.