
## **ITUNGSRAM**

Innovation is our heritage EST. 1896







# Integrated Bulkhead BHTD30-17657S-NNN 93083845

## **Product information**

A simple and elegant light fitting, designed with Integrated LED Light Module and dedicated optic, both for interior and exterior applications. The Integrated Bulkhead range offers a comprehensive choice of versions including two sizes, opal diffuser and optional sensor function. It is a wall and ceiling LED luminaire that can be utilised in versatile application ranges including damp environments, entrance halls, receptions, stairwells, corridors, circulation routes, rest areas and outside walls of buildings.



## Integrated Bulkhead BHTD30-17657S-NNN 93083845

## Product data

Mounting type	Wall mounted
Brand	GE Lighting
IP Rating	65
Certifications	CE/EAC
Body colour	white
Weight [kg]	1.00
DIALux description	TUNGSRAM - Integrated Bulkhead - 1600lm - 17W - 6500K - 80CRI - 93083845[SKU] - Wall mounted
IEC protection classes	Class II
Impact resistance (IK)	IK10
Dimensions	ø300x109mm
Energy efficiency class (EEC)	A+

### Performance data

Rated life L70/B50 [h]	45000
Operating Voltage	220-240V
Ambient Temperature [°C]	-30°C to +40°C
Rated efficacy [lm/W]	94
Total system power	17
Nominal lumens [lm]	1600
Rated lumens [lm]	1600
Rated power [W]	17
Nominal correlated colour temperature (CCT) [K]	6500
Colour rendering index (CRI) [Ra]	80+

## Optical data

#### Electrical data

Nominal lamp power factor	0.9
---------------------------	-----


Controllability	Not dimmable electronic (Static)
-----------------	----------------------------------


### Logistic data


Product status Av	/ailable
-------------------	----------

Shipment	Stand	
Sninment	Stand	าลทา
SHIPHICH	Starre	aui u

#### Photometric Data







#### Downloads & Links

Go to the catalog site (HTTP)

Datasheet - TUNGSRAM (PDF)

Datasheet - GE Lighting (PDF)

Installation guide (PDF)

Images (HTTP)

Photometry files for EMERGENCY versions (HTTP)