



KBHDDC5S65

Circular Cast Bulkhead, Cage Option, Black, IP65



Product Overview

Kosnic's LED Bulkhead with emergency option offers a low maintenance and robust solution to lighting in corridors, staircases, security zones and thoroughfares. The standard fittings are IP65 rated and exclusively for use with Kosnic LED DD lamps, which are available with or without microwave sensors. The fittings are also available with the option of a built-in emergency module.

Features

Ideal enclosure for Kosnic LED DD lamps.

IP65

IK10

Class I


Specifications

KBHDDC5S65-BLK	
Shape / Type	Bulkhead
Colour Finish	Black
Diffuser	Opal
Input Voltage	220-240Vac 50-60Hz
Emergency	No
IP Rating	IP65
Class Protection	Class I
IK Rating	IK10
Depth (mm)	172
Diameter (mm)	363
LOR (%)	24
Ambient Temperature (°C)	-20 to 40


Packaging

KBHDDC5S65-BLK	
Outer Box Length (mm)	530
Outer Box Width (mm)	390
Outer Box Height (mm)	395
Volume	0.0816465
Box Quantity	3
Outer Box Weight (kg)	14.7

KBHDDC5S65-BLK



KBHDDC5S65-BLK



Datasheet generated from <http://www.electrika.com> last updated Tuesday, May 15, 2018 11:30:02 AM