

Philips Mini Iridium LED EGS 45 I / Mini Modena LED EGP 680

Mounting instructions

Instructions de montage

Instrucciones de montaje

Kokoonpano- ja kiinnitysohjeet

Szerelési utasítások

Montageanleitung

Instruções de montagem

Montaj yönergesi

Návod k montáži

Montage instruktie

Monteringsinstruktioner


Οδηγίες συναρμολόγησης

Монтажная инструкция

Istruzioni di montaggio

Monteringsvejledning

Instrukcja montażu



EGS 45 I

	LINE	W +/-10%	LED			EL	kg		min	max
LED	GRN16-2S/830	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN20-2S/740	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN21-2S/657	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN24-2S/830	29	24	●	●	●	6.1		-20°C	+35°C
LED	GRN29-2S/740	29	24	●	●	●	6.1		-20°C	+35°C
LED	GRN31-2S/657	29	24	●	●	●	6.1		-20°C	+35°C
LED	ECO23-2S/830	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO28-2S/740	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO30-2S/657	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO35-2S/830	41	24	●	●	●	6.1		-20°C	+35°C
LED	ECO43-2S/740	41	24	●	●	●	6.1		-20°C	+35°C
LED	ECO45-2S/657	41	24	●	●	●	6.1		-20°C	+35°C

EGP 680

	LINE	W +/-10%	LED			EL	kg		min	max
LED	GRN16-2S/830	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN20-2S/740	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN21-2S/657	20	16	●	●	●	6.1		-20°C	+35°C
LED	GRN24-2S/830	29	24	●	●	●	6.1		-20°C	+35°C
LED	GRN29-2S/740	29	24	●	●	●	6.1		-20°C	+35°C
LED	GRN31-2S/657	29	24	●	●	●	6.1		-20°C	+35°C
LED	ECO23-2S/830	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO28-2S/740	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO30-2S/657	29	16	●	●	●	6.1		-20°C	+35°C
LED	ECO35-2S/830	41	24	●	●	●	6.1		-20°C	+35°C
LED	ECO43-2S/740	41	24	●	●	●	6.1		-20°C	+35°C
LED	ECO45-2S/657	41	24	●	●	●	6.1		-20°C	+35°C




Use Philips lamps for optimum performance
 · Fonctionnement optimal avec lampes Philips
 · Optimale Bestriebsleistung mit Philips-Lampen
 · Toimii parhaiten Philips-lamppujen kanssa
 · Fungerar bäst med lampor från Philips


· Werkt het best met Philips-lampen
 · Resultados óptimos con lámparas Philips
 · Fungerer mest optimalt med Philips-lamper

· Funzionamento ottimale garantito con lampade Philips
 · Funciona melhor com lâmpadas Philips no interior
 · Fungerer bedst med Philips-lamper


EGS 45I / EGP 680 RETROFIT - EGS 45I / EGP 680 UPGRADE










EGS 45I / EGP 680 UNIT




LIFE LED MODULE







8




9





10




11




12





12'













13



EGS 45I / EGP 680 UNIT







4'

x4 → 02/2012
x2 03/2012→

CAUTION
Static Sensitive Devices
Do not open outside ESD protected area /
Ne pas ouvrir hors de la zone protégée ESD




4''



x4 →02/2012
x2 03/2012→




CAUTION
Static
Sensitive
Devices










Do not open outside EDS protected area /
Ne pas ouvrir hors de la zone protégée ESD






LIFE LED MODULE















LEDSTREET7

22/03/2013→

→22/03/2013



2'



LEDSTREET7

22/03/2013 →

→ 22/03/2013

