


Outdoor Facade Edge

Outdoor Facade Edge Sensor









	EAN	L x W x H	W	lm	lm/W	K	IP	IK
Outdoor Facade Edge 12W/3000K GY IP54	4058075074750	168x100x273	12	740	60	3000K	54	06
Outdoor Facade Edge 12W/3000K WT IP54	4058075074774	168x100x273	12	770	65	3000K	54	06
Outdoor Facade Edge 12W/3000K GY S IP54	4058075074798	168x100x273	12	740	60	3000K	54	06
Outdoor Facade Edge 12W/3000K WT S IP54	4058075074811	168x100x273	12	770	65	3000K	54	06

	EAN		 (°C)	PF	R _a	V _{AC}	Hz	
Outdoor Facade Edge 12W/3000K GY IP54	4058075074750	103°	-20...40	≥ 0.5	> 80	220-240V	50/60 Hz	1.3 kg
Outdoor Facade Edge 12W/3000K WT IP54	4058075074774	103°	-20...40	≥ 0.5	> 80	220-240V	50/60 Hz	1.3 kg
Outdoor Facade Edge 12W/3000K GY S IP54	4058075074798	103°	-20...40	≥ 0.5	> 80	220-240V	50/60 Hz	1.3 kg
Outdoor Facade Edge 12W/3000K WT S IP54	4058075074811	103°	-20...40	≥ 0.5	> 80	220-240V	50/60 Hz	1.3 kg









LEDVANCE

Outdoor Facade Edge / Outdoor Facade Edge Sensor




Outdoor Facade Edge / Outdoor Facade Edge Sensor





www.luminares.ledvance.com



C10449057
G11031702
01.12.17

LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg
Germany

www.ledvance.com