

I-VALO INSTALLATION BRACKETS

COMPATIBILITY TABLE



XENA, DORA, 6721LED/6741LED, VIVO, HITE TITAN luminaires

ELECTRICAL NUMBER	BRACKET	XENA	DORA DORA+	DORA Xtra DORA+ Xtra	6721LED, 6741LED	VIVO	HITE TITAN
	D100		x (excl. Dora)				
	D200		x	x	x		
S 4300044 / E 7213102	X100	x					
	X101	x					
S 4300046 / E 7213104	X200	x					
	X201	x					
S 4300045 / E 7213103	X110	x					
S 4402400 / E 7212470	6010.000.00					x	
S 4402401 / E 7212471	6011.000.00					x	
S 4402402 / E 7212472	6012.000.00					x	
S 4400287 / E 7211587	6013.000.00					x	
S 4300359 / E 7211588	6015.000.00					x	
S 4300369 / E 7211589	6016.000.00					x	
S 4300370 / E 7211590	6017.000.00					x	
S 4300371 / E 7211591	6018.000.00					x	
S 4600013 / E 7211944	6020.400.00	x			x	x	x
S 4400232 / E 7211945	6035.000.00		x	x	x	x	x
S 4400237 / E 7211946	6036.000.00		x	x	x	x	x
S 4600000 / E 7219830	6060.000.00	x	x	x	x	x	x
S 4600003 / E 7219831	6061.000.00		x (excl. Dora+)		x		
S 4600005	6061.030.00		x (excl. Dora)				
	6061.040.00					x	
S 4600006 / E 7219832	6063.000.00		x		x		
S 4600008 / E 721947	6063.030.00		x (excl. Dora)				
S 4600015 / E 7219834	6065.000.00		x		x		
S 4600014 / E 7219841	6079.000.00	x	x	x	x	x	x
	PP30S00 + 6061		x		x		
	PP30T00 + 6061		x		x		
	PP35T00 + 6061		x		x		



Used when replacing existing REGULAR/HORIZONTAL with XENA, i.e. used in renovation projects



Requires also bracket X100 or X200 for installation



Can be used but **note the imbalance of Dora luminaire** due to driver positioning inside the luminaire



Inclination +/- 10 degrees is not possible



Requires also bracket 6013 or 6018 for installation

ZETA, LEDA, VEGA, HITE, S1, HID LOWBAY luminaires

ELECTRICAL NUMBER	BRACKET	ZETA	LEDA	VEGA S	VEGA R	VEGA W	VEGA L	HITE	SPOT S1	6201, 6211, 6221, 6301	6231
	B100			X	X	X	X				
	B200			X	X	X					
	B300			X		X	X				
	B400			X		X	X				
	B500			X	X	X	X				
	B600			X		X					
	B700			X	X	X					
	B800						X				
	D200							X		X	X
S 4600013 / E 7211944	6020.400.00	X		X	X	X		X		X	X
	6031.000.00	X									
	6032.000.00	X									
	6033.000.00	X									
S 4400232 / E 7211945	6035.000.00							X	X	X	X
S 4400237 / E 7211946	6036.000.00							X	X	X	X
S 4600000 / E 7219830	6060.000.00		X					X	X	X	X
S 4600003 / E 7219832	6061.000.00									X	
S 4600005	6061.030.00										X
S 4600006 / E 7219832	6063.000.00									X	
S 4600008 / E 7211947	6063.030.00										X
S 4600015 / E 7219834	6065.000.00									X	
S 4600016 / E 7211984	6066.000.00							X			
S 4600014 / E 7219841	6079.000.00			X	X	X	X	X	X	X	X
	PP30S00 + 6061									X	X
	PP30T00 + 6061									X	X
	PP35T00 + 6061									X	X

-  Suitable only for indoor installations
-  Cannot used with VEGA models 250W/315W with ECG or models with Safety LED
-  Inclination +/- 10 degrees is not possible
-  Requires also bracket 6031

Fluorescent luminaires

ELECTRICAL NUMBER	BRACKET	(T5) 9441, 9451	(T5) 9441.800	(T8) 6431, 6441	6532
	D200	X		X	X
S 4600013 / E 7211944	6020.400.00	X	X	X	X
S 4400232 / E 7211945	6035.000.00	X	X	X	X
S 4400237 / E 7211946	6036.000.00	X	X	X	X
S 4600000 / E 7219830	6060.000.00	X	X	X	X
S 4600003 / E 7219831	6061.000.00				X
S 4600006 / E 7219832	6063.000.00				X
S 4600015 / E 7219834	6065.000.00				X
S 4600014 / E 7219841	6079.000.00	X	X	X	X

Inclination +/- 10 degrees is not possible