



LED AREA LIGHT LCS35





80W

110W



Unit: mm



Unit: mm

Specifications

Power	led Qty	PF	CRI	Voltage	CCT	Lumen	Size mm (x 0.0039=inch)	Operation tep (°C/°F)	Weight (lbs=kg/2.2)	Certificate	Equal to
80W	120 leds LG3030	≥0.9	≥80	100-277VAC 50-60Hz	3000-6000K	9600±100lm	E40 Φ111*221mm	minus 40~60°C minus 40~140°F	NW 1.22kg GW 1.53kg	CE ROHS UL DLC4.0 CUL Lm79 Tm21	250w HPS HQL
110W	168 leds LG3030	≥0.9	≥80	100-277VAC 50-60Hz	3000-6000K	13200±100lm	E40 Φ111*281mm	minus 40~60°C minus 40~140°F	NW 1.62kg GW 1.96kg	CE ROHS UL DLC4.0 CUL Lm79 Tm21	400w HPS HQL


Features



REPLACE




LG3030 120lm/w



180° beam angle



Flame retardant material






IP64 waterproof design



⚠ WARNING: THE LAMP BODY MUST BE EXTENDED WITH 2 SIDES TO LIGHT UP !

CAUTION: RISK OF ELECTRIC SHOCK-DO NOT USE WHERE DIRECTLY EXPOSED TO WATER. DO NOT USE WITH DIMMERS, FOR USE IN TOTALLY ENCLOSED RECESSED FIXTURES.






PARKING LOT



Installation


Step:1

Shown as Figure 1
Remove old ballast or disconnect from existing lamp holder. Remove and dispose of ballast in correct manner.




Step:2

Shown as Figure 2
Reconnect directly to the existing lamp holder.




Step:3

Shown as Figure 3
Install new LED replacement lamp. Please make sure the old fitting is correctly earth.



Packing

Wattage	Inner box size	N. W per lamp	G. W per box (lbs=KG x 2. 2)	G. W per Carton (lbs=KG x 2. 2)	Carton Size	Quantity Per Carton
80W	262x145x164mm	1.22kgs	1.53kgs	9.85kgs	445x277x345mm	6PCS
110W	322x145x164mm	1.62kgs	1.96kgs	12.51kgs	445x337x345mm	



Pack Quantity:
6PCS



⚠ CAUTIONS

- Risk of electric shock. Do not use where directly exposed to water.
- Do not use with dimmers.
- 80w, 110w, suitable for use in totally enclosed fixtures.
- Don't take apart the lamps without our permit.
- Please read carefully manual before installation.