

Deformable



27W



45W






63W



27W

45W

63W



Specifications

Power	Led Qty	PF	CRI	Voltage	CCT	Total Lumen	Size mm (x 0.0039=inch)	Operation tep (°C/F)	Weight (lbs=kg/2.2)	Beamangle	Equal
27W±10%	156 leds 2835	≥0.9	≥80	100-277V AC 50~60Hz	2700~6500K	4050±200lumen	E27 φ82*207mm E40 φ82*225mm	minus 40~60°C minus 40~140°F	NW 0.68kg GW 0.88kg	180° 360°	125W
45W±10%	240 leds 2835	≥0.9	≥80	100-277V AC 50~60Hz	2700~6500K	6750±200lumen	E27 φ82*238mm E40 φ82*256mm	minus 40~60°C minus 40~140°F	NW 0.76kg GW 0.96kg	180° 360°	200W
63W±10%	360 leds 2835	≥0.9	≥80	100-277V AC 50~60Hz	2700~6500K		E27 φ82*263mm E40 φ82*281mm	minus 40~60°C minus 40~140°F	NW 0.98kg GW 1.18kg	180° 360°	285W

Features



REPLACE



SAMSUNG 2835 150lm/w



Flame retardant material




2 option


360°beam angle




180°beam angle



No wire aluminum board design (no wires mix together), in case of circuit shortcut patent design.



Easy replacement with slide connector from lamp body to driver.






High quality driver components:
Rubycon capacitor (Japan);
FIRST MOS(USA); MPS IC Chip (USA);
Galaxy Diodes (biggest in China)




Driver with heat sink silicone for waterproof, dust proof and anti-mosquitoes

Dimensions



Application





Installation




Step:1

Shown as Figure 1
Remove old ballast or disconnect from existing lamp holder. Remove and dispose of ballast in correct manner.




Step:2

Shown as Figure 2
Reconnect directly to the existing lamp holder.




Step:3

Shown as Figure 3
Install new LED replacement lamp. Please make sure the old fitting is correctly earth.



Packing

Wattage	Inner box size	N. W per lamp	G. W per box (lbs=KG x 2. 2)	G. W per Carton (lbs=KG x 2. 2)	Carton Size	Quantity Per Carton
27W	100*100*254mm	0.68kgs	0.88kgs	14.98kgs	420*410*269mm	16PCS
45W	100*100*286mm	0.76kgs	0.96kgs	16.56kgs	420*410*300mm	16PCS
63W	100*100*321mm	0.98kgs	1.08kgs	18.58kgs	420*410*336mm	16PCS



Pack Quantity:
16PCS



CAUTIONS

- Risk of electric shock. Do not use where directly exposed to water.
- S37 series are non-dimmable.
- Don't take apart the lamps without our permit.
- Please read the instruction manual carefully before installation.