











GLS

TU 70W HALO A/CL/E27 230V GE BX 1/10

63612

Product information

GE's HaloGLS range is a direct replacement for regular incandescent lamps offering a crisp white light. Evironmentally friendly solution for those who prefer light quality associated with incandescent bulbs.

- Last twice as long and consume up to 30% less electricity than corresponding incandescent lamps.
- Provide instant-on, full light output at start-up and lumens are maintained throughout the life of the product.
- Unlike some compact fluorescent products, these lamps are 100% retrofit with the incandescent lamps they replace.
- Can be used with dimming switches.
- Environmentally friendly with no lead or mercury.
- Up to 2,000 hours life
- Excellent colour rendering, light close to natural (100% CRI)
- More than 90% lumen maintenance over life







Application areas









Product data

63612
GLS
50
89.5
25
49
General Electric (GE)
E27

Performance data

Weighted energy consumption [kWh/1000h]	72.45
Rated efficacy [lm/W]	17.14286
Energy efficiency class (EEC)	D
Lamp Lumen Maintenance factor (2000 hours)	80%
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2900
Nominal lumens [lm]	1200
Colour Rendering Index (CRI) [Ra]	100

Electrical data

70.0
0.0 s
instant
8000
CC-8
Yes
70
230





Logistic data

DUN Code	10043168636121
EAN Code	0043168769488
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	330 EUR, 410 UK
Layer quantity EUR	330
Layer quantity UK	410
Pallet quantity EUR (PC)	3630
Pallet quantity UK (PC)	4510
Outer case size	255 x 105 x 95 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Halogen Lamps Spectrum Catalogue (PDF)

GLS, Candle, Spherical Lamps Data sheet (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)