# **TUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896



A+ 88 energy class lumens/watt

### GE Bright Stik™ LED12/STIK/830/100-240/E27/F 1/15 93038839

## **Product information**

LED Bright Stik<sup>™</sup> illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit . Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years\*. That's a long time you can spend not worrying about light bulbs.

#### Product data

Product Code	93038839
Bulb Finish	White
Bulb Diameter [mm]	45
Nominal Length [mm]	136
Net weight per piece [g]	81
Brand	GE Lighting
Cap/Base	E27

#### Performance data

Nominal/ Rated Beam Angle [°]	240
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]] 3000	
Nominal lumens [lm]	1060
Colour Rendering Index (CRI) [Ra]	80

#### **Electrical data**

Nominal lamp power factor	0.7
Number of switching cycles	100000
Dimming Capability	No
Nominal lamp voltage range [V]	100-240
Nominal power [W]	12

#### Logistic data

Shipment	Standard
DUN Code	10064894544313
EAN Code	0064894544316
Pack Quantity	15
Outer case size	298x193x164mm
Product status	Phased-out

#### Downloads & Links

Go to the catalog site (HTTP) Product datasheet (PDF) User Manual for the Bright Stik™ products (PDF) Images (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.