# **TUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896



# PAR 36 4405 12.8V 93106400

# **Product information**

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

#### Application areas



E CE

## Product data

Product Code	93106400
Light Center Length [mm]	41.27
Bulb Shape	PAR
Bulb Diameter [mm]	114
Maximum Overall Length [mm]	70
Net weight per piece [g]	248
Gross weight per piece [g]	250
Brand	Tungsram
Cap/Base	Screw terminal

## Performance data

Nominal/ Rated Beam Angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	50000

## **Electrical data**

Lamp Current [A]	2.34
Coil type	C-6
Ballast Required	Yes
Nominal power [W]	30
Nominal lamp voltage [V]	12

#### Logistic data

DUN Code	15994100022005
EAN Code	5994100022008
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	1200
Outer case size	95 x 95 x 98 (mm)
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) Lighting design tools & calculators (HTTP) Entertainment Pocket brochure (PDF) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special purpose lamp – Aircraft. Not suitable for household illumination.



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.