



## PAR 36

4596 28.0V  
93106402

### Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

### Application areas



Club and Disco



### Product data

Product Code	93106402
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	230
Gross weight per piece [g]	256
Brand	Tungsram
Cap/Base	Screw terminal

### Performance data

Nominal/ Rated Beam Angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	150000
Nominal correlated colour temperature (CCT) [K]	3000

### Electrical data

Lamp Current [A]	8.93
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	250
Nominal lamp voltage [V]	28

## Logistic data

DUN Code	15994100022029
EAN Code	5994100022022
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	1200
Outer case size	95 x 95 x 98 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination