# **TUNGSRAM**

Innovation is our heritage EST. 1896



PAR 36 4627 28.0V 24966

# **Product information**

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- · Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- · Colour blends with halogen and fluorescent

#### **Application areas**



Club and Disco







# Product data

Product Code	24966
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	248
Gross weight per piece [g]	250
Brand	GE Lighting
Cap/Base	Screw terminal

# Performance data

Nominal/ Rated Beam Angle [°]	60
Nominal center beam candlepower (CBCP) [cd]	3000

## Electrical data

Lamp Current [A]	3.57
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	100.0
Nominal lamp voltage [V]	28



### Logistic data

DUN Code	00043168249669
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	1200
Outer case size	226 x 211 x 313 (mm)
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

Entertainment Pocket brochure (PDF)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination