



1060

kWh/1000h

B

energy class

28

lumens/watt

Double Ended Quartzline

DXW 1/24 MIH

30157


Product information

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas



Theatre



Product data

Product Code	30157
Bulb Shape	Tubular
Bulb Diameter [mm]	15
Maximum Overall Length [mm]	95.2
Net weight per piece [g]	9
Gross weight per piece [g]	23
Brand	GE Lighting
Cap/Base	R7s

Performance data

Rated Lumens [lm]	28000
Weighted energy consumption [kWh/1000h]	1060.0
Energy efficiency class (EEC)	B
Rated Life [h]	150
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	28000

Electrical data

Rated power [W]	1000.0
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	1000.0
Nominal lamp voltage [V]	120

Logistic data

DUN Code	10043168301579
EAN Code	5021731314025
Pack Quantity	24
Layer quantity	576 EUR, 720 UK
Layer quantity EUR	576
Layer quantity UK	720
Pallet quantity EUR (PC)	4608
Pallet quantity UK (PC)	5760
Outer case size	231 x 161 x 131 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination