
### **TUNGSRAM**

Innovation is our heritage EST. 1896







# Double Ended Quartzline FAD Q650T4/CL P2/6 93106453

#### **Product information**

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

#### Application areas







## Double Ended Quartzline FAD Q650T4/CL P2/6 93106453

#### Product data

Product Code	93106453
Bulb Shape	Tubular
Bulb Diameter [mm]	12.7
Maximum Overall Length [mm]	81
Net weight per piece [g]	13
Gross weight per piece [g]	23
Brand	Tungsram
Cap/Base	R7s

#### Performance data

Rated Lumens [lm]	16500
Weighted energy consumption [kWh/1000h]	689.0
Energy efficiency class (EEC)	В
Rated Life [h]	100
Nominal correlated colour temperature (CCT) [K]] 3200	
Nominal lumens [lm]	16500

#### Electrical data

Rated power [W]	650.0
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	650
Nominal lamp voltage [V]	120



### Double Ended Quartzline FAD Q650T4/CL P2/6 93106453

#### Logistic data

DUN Code	15994100020681
EAN Code	5994100020684
Pack Quantity	24
Layer quantity	576 EUR, 720 UK
Layer quantity EUR	576
Layer quantity UK	720
Pallet quantity EUR (PC)	4608
Pallet quantity UK (PC)	5760
Outer case size	231 x 161 x 131 (mm)
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

Entertainment Pocket brochure (PDF)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination