


TUNGSRAM™

Innovation is our heritage
EST. 1896



3750

kWh/1000h

B

energy class

7

lumens/watt

Single Ended Halogen

CP58 230-240V

93106394

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

Product Code	93106394
Light Center Length [mm]	143
Bulb Shape	Globe
Bulb Diameter [mm]	70
Maximum Overall Length [mm]	220
Net weight per piece [g]	213
Gross weight per piece [g]	600
Brand	Tungsram
Cap/Base	GX38q

Performance data

Rated Lumens [lm]	86000
Weighted energy consumption [kWh/1000h]	3750.0
Energy efficiency class (EEC)	B
Rated Life [h]	300
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	27000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	3750.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	3750
Nominal lamp voltage [V]	240

Logistic data

DUN Code	15994100021893
EAN Code	00000000000000
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	18 EUR, 23 UK
Layer quantity EUR	18
Layer quantity UK	23
Pallet quantity EUR (PC)	126
Pallet quantity UK (PC)	161
Outer case size	340 x 135 x 140 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination