


# TUNGSRAM™

Innovation is our heritage  
EST. 1896



2000

kWh/1000h

B

energy class

25

lumens/watt

## Double Ended Quartzline

P2/27 FEX 240V

93106515

### Product information

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

### Application areas



Theatre



## Product data

Product Code	93106515
Bulb Shape	Tubular
Bulb Diameter [mm]	30
Maximum Overall Length [mm]	143
Net weight per piece [g]	46
Gross weight per piece [g]	165
Brand	Tungsram
Cap/Base	Rx7s

## Performance data

Rated Lumens [lm]	50000
Weighted energy consumption [kWh/1000h]	2000.0
Energy efficiency class (EEC)	B
Rated Life [h]	300
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	50000
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Rated power [W]	2000.0
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	2000
Nominal lamp voltage [V]	240

## Logistic data

DUN Code	15994100021435
EAN Code	5994100021438
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	144 EUR, 180 UK
Layer quantity EUR	144
Layer quantity UK	180
Pallet quantity EUR (PC)	1152
Pallet quantity UK (PC)	1440
Outer case size	350 x 190 x 120 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination