


TUNGSRAM™

Innovation is our heritage
EST. 1896



2500

kWh/1000h

B

energy class

27

lumens/watt

Single Ended Halogen

CP94 230-240V

93106523

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

Product Code	93106523
Light Center Length [mm]	127
Bulb Shape	Tubular
Bulb Diameter [mm]	31
Maximum Overall Length [mm]	210
Net weight per piece [g]	23
Gross weight per piece [g]	441
Brand	Tungsram
Cap/Base	G38

Performance data

Rated Lumens [lm]	67500
Weighted energy consumption [kWh/1000h]	2500.0
Energy efficiency class (EEC)	B
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	67500
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	2500.0
Coil type	C-13D
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	2500
Nominal lamp voltage [V]	230

Logistic data

DUN Code	15994100021527
EAN Code	5994100021520
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	24 EUR, 48 UK
Layer quantity EUR	24
Layer quantity UK	48
Pallet quantity EUR (PC)	72
Pallet quantity UK (PC)	144
Outer case size	590 x 420 x 360 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination