TUNGSRAM

Innovation is our heritage EST. 1896



Product information

HPL lamps were developed using GE Six Sigma process, these lamps encompass modern halogen technology and high production standards. HPL optical system for superior field smoothness and cosine distribution-Integral heat sink base reduces seal temperature, increases durability and maximises life- Shock resistant filament array and patented gas chemistry minimises arc-out risk during alignment and focusing.

Application areas





750 kWh/1000h



Product data

Product Code	93106466
Light Center Length [mm]	60.3
Bulb Shape	Tubular
Bulb Diameter [mm]	19
Maximum Overall Length [mm]	106
Net weight per piece [g]	54
Gross weight per piece [g]	73
Brand	Tungsram
Cap/Base	Special

Performance data

Rated Lumens [lm]	15600	
Weighted energy consumption [kWh/1000h]	750.0	
Energy efficiency class (EEC)	C	
Rated Life [h]	1500	
Nominal correlated colour temperature (CCT) [K]] 3200		
Nominal lumens [lm]	15600	
Colour Rendering Index (CRI) [Ra]	100	

Electrical data

Rated power [W]	750.0
Coil type	6C-8
Ballast Required	No
Nominal power [W]	750
Nominal lamp voltage [V]	240

Logistic data

DUN Code	15994100020940	
EAN Code	5994100020943	
Pack Quantity	12	
Layer quantity	468 EUR, 588 UK	
Layer quantity EUR	468	
Layer quantity UK	588	
Pallet quantity EUR (PC)	3276	
Pallet quantity UK (PC)	4116	
Outer case size	175 x 135 x 138 (mm)	
Product status	Available	

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) Lighting design tools & calculators (HTTP) Entertainment Pocket brochure (PDF) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.