







# Rough Service GLS - Frosted

TU\*60A1F-RSE27 230-240V GE1/20MIH 2500h

91229

### **Product information**

GE incandescent lamps trace their ancestry to the world's first practical electric bulb, invented by Thomas Alva Edison, founder of General Electric Company, in 1879.

Available in all shapes and sizes, they offer particular qualities of light to suit specific applications.











### **Product data**

Product Code	91229
Bulb Shape	PS
Bulb Finish	Diffuse
Bulb Diameter [mm]	60
Nominal Length [mm]	105
Net weight per piece [g]	28
Gross weight per piece [g]	46
Brand	General Electric (GE)
Cap/Base	E27

### Performance data

Weighted energy consumption [kWh/1000h]	62.05
Rated efficacy [lm/W]	7.5
Energy efficiency class (EEC)	E
Rated Life [h]	2500
Nominal lumens [lm]	450

### **Electrical data**

Dimming Capability	Yes
Nominal power [W]	60
Nominal lamp voltage [V]	235



## Rough Service GLS - Frosted

TU\*60A1F-RSE27 230-240V GE1/20MIH 2500h

91229

### Logistic data

DUN Code	20043168912291
EAN Code	9004102280545
Pack Quantity	20
Layer quantity	220 EUR
Layer quantity EUR	220
Pallet quantity EUR (PC)	1980
Outer case size	308 x 248 x 121 (mm)
Product status	Available

#### **Downloads & Links**

Go to the catalog site (HTTP)

**Incandescent Lamps Spectrum Catalogue (PDF)** 

**Lighting design tools & calculators (HTTP)** 

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)