



**318**  
kWh/1000h

**C**  
energy class

**20**  
lumens/watt

## PAR 56

300PAR56/WFL 12V

93106399

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

## Application areas



Club and Disco



## Product data

Product Code	93106399
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	570
Gross weight per piece [g]	691
Brand	Tungsräm
Cap/Base	Screw terminal

## Performance data

Nominal/ Rated Beam Angle [°]	30
Nominal center beam candlepower (CBCP) [cd]	13000
Rated Lumens [lm]	4200
Weighted energy consumption [kWh/1000h]	318.0
Useful lumens (at 90° cone) [lm]	4200
Energy efficiency class (EEC)	C
Rated Life [h]	1000
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	6000

## Electrical data

Rated power [W]	300.0
Coil type	C-6
Ballast Required	Yes
Nominal power [W]	300
Nominal lamp voltage [V]	12

## Logistic data

DUN Code	15994100021992
EAN Code	5994100021995
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	324
Outer case size	153 x 153 x 139 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special purpose lamp – Swimming Pool. Not suitable for household illumination.