


# GE TUNGSRAM™

Innovation is our heritage  
EST. 1896



**500**  
kWh/1000h

**D**  
energy class

**17**  
lumens/watt

## Single Ended Halogen

M40 230-240V

**88468**

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

### Application areas



Film and Broadcast



Theatre



## Product data

Product Code	88468
Light Center Length [mm]	46.5
Bulb Shape	Tubular
Bulb Diameter [mm]	30
Maximum Overall Length [mm]	84
Net weight per piece [g]	15
Gross weight per piece [g]	35
Brand	GE Lighting
Cap/Base	GY9.5

## Performance data

Rated Lumens [lm]	8000
Weighted energy consumption [kWh/1000h]	500.0
Energy efficiency class (EEC)	D
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2900
Nominal lumens [lm]	8500
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Rated power [W]	500.0
Coil type	C-13
Ballast Required	No
Nominal power [W]	500
Nominal lamp voltage [V]	230

## Logistic data

DUN Code	10043168884683
EAN Code	0043168884686
Pack Quantity	24
Layer quantity	504 EUR, 600 UK
Layer quantity EUR	504
Layer quantity UK	600
Pallet quantity EUR (PC)	4032
Pallet quantity UK (PC)	4800
Outer case size	170 x 255 x 130 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination