
## **TUNGSRAM**

Innovation is our heritage EST. 1896







## Halogen Linear

OT 330W 240V R7S 117MM TU BX1/10 MIC

93107759

### **Product information**

C class Double Ended Linear

- Increased efficiency C energy class
- More than 30% energy saving
- Retrofit to standard Double Ended Linear
- Full range 100-330W to replace 150-500W standard range

#### **Application areas**









# Halogen Linear OT 330W 240V R7S 117MM TU BX1/10 MIC 93107759

### Product data

Product Code	93107759
Bulb Shape	Tubular
Bulb Diameter [mm]	10
Maximum Overall Length [mm]	119
Net weight per piece [g]	7
Gross weight per piece [g]	15
Brand	Tungsram
Cap/Base	R7s

### Performance data

Rated Lumens [lm]	7000
Weighted energy consumption [kWh/1000h]	330.0
Rated efficacy [lm/W]	21.21212
Energy efficiency class (EEC)	С
Lamp Lumen Maintenance factor (2000 hours)	80%
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2900
Nominal lumens [lm]	7000
Colour Rendering Index (CRI) [Ra]	100



# Halogen Linear OT 330W 240V R7S 117MM TU BX1/10 MIC 93107759

### Electrical data

Rated power [W]	330.0
Starting time (sec)	0.0 s
Warm up time up to 60% of full light output	instant
Number of switching cycles	8000
Coil type	CC-8
Dimming Capability	Yes
Nominal power [W]	330
Nominal lamp voltage [V]	240

### Logistic data

Shipment	Standard	
DUN Code	15994100022708	
EAN Code	5994100022701	
Pack Quantity	10	
Inner pack type	BOX	
Outer pack type	OUTER BOX	
Layer quantity	1200 EUR, 1600 UK	
Layer quantity EUR	1200	
Layer quantity UK	1600	
Pallet quantity EUR (PC)	4800	
Pallet quantity UK (PC)	6400	
Outer case size	127 x 93 x 40 (mm)	
Product status	Available	



## Halogen Linear OT 330W 240V R7S 117MM TU BX1/10 MIC 93107759

#### Downloads & Links

Go to the catalog site (HTTP)

Halogen Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Please note that the rated life of those lamps under this SKU number placed on the market on or before 31 August 2013 can be either 1,000 hours or 2,000 hours. The rated life of those lamps placed on the market on or after 1 September 2013 is exclusively 2,000 hours.