



GLS tu 70w halo a/cl/e27 240v ge trbx 1/8 **79423**

Product information

GE's HaloGLS range is a direct replacement for regular incandescent lamps offering a crisp white light. Evironmentally friendly solution for those who prefer light quality associated with incandescent bulbs.

- Last twice as long and consume up to 30% less electricity than corresponding incandescent lamps.
- Provide instant–on, full light output at start-up and lumens are maintained throughout the life of the product.
- Unlike some compact fluorescent products, these lamps are 100% retrofit with the incandescent lamps they replace.
- Can be used with dimming switches.
- Environmentally friendly with no lead or mercury.
- Up to 2,000 hours life
- Excellent colour rendering, light close to natural (100% CRI)
- More than 90% lumen maintenance over life







Application areas









Product data

| Product Code | 79423 |
|-----------------------------|-----------------------|
| Bulb Shape | GLS |
| Bulb Diameter [mm] | 50 |
| Maximum Overall Length [mm] | 89.5 |
| Net weight per piece [g] | 25 |
| Gross weight per piece [g] | 59 |
| Brand | General Electric (GE) |
| Cap/Base | E27 |

Performance data

| Weighted energy consumption [kWh/1000h] | 73.33 |
|--|----------|
| Rated efficacy [lm/W] | 17.14286 |
| Energy efficiency class (EEC) | D |
| Lamp Lumen Maintenance factor (2000 hours) | 80% |
| Rated Life [h] | 2000 |
| Nominal correlated colour temperature (CCT) [K]] | 2900 |
| Nominal lumens [lm] | 1200 |
| Colour Rendering Index (CRI) [Ra] | 100 |

Electrical data

| 70.0 |
|---------|
| 0.0 s |
| instant |
| 8000 |
| CC-8 |
| Yes |
| 70 |
| 240 |
| |





Logistic data

| DUN Code | 10043168794234 |
|--------------------------|---------------------|
| EAN Code | 0043168769457 |
| Pack Quantity | 8 |
| Inner pack type | BOX |
| Outer pack type | TRAY OUTER |
| Layer quantity | 304 EUR, 392 UK |
| Layer quantity EUR | 304 |
| Layer quantity UK | 392 |
| Pallet quantity EUR (PC) | 3344 |
| Pallet quantity UK (PC) | 4312 |
| Outer case size | 210 × 110 × 95 (mm) |
| Product status | Available |

Downloads & Links

Go to the catalog site (HTTP) Halogen Lamps Spectrum Catalogue (PDF) GLS, Candle, Spherical Lamps Data sheet (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)