


# TUNGSRAM™

Innovation is our heritage  
EST. 1896



80

kWh/1000h

A+

energy class

104

lumens/watt

## ConstantColor™ CMH Tubular Clear StreetWise

CMH70/TT/UVC/U/730/E27 STREETWISE  
TU

93102211

### Product information

Until now, public authorities and other organisations have had to choose between high cost, high quality outdoor illumination or low cost alternatives which, even at peak efficiency, make streets and other areas look dingy or dull.

**GE's new generation of CMH StreetWise™** lamps especially designed for outdoor lighting offers the best of both worlds. Bright, white, 'natural' light and low costs for both running and maintenance. With CMH lighting, streets and other public spaces can feel safer for pedestrians. More than that, their "daylight" colour rendering improves the ability of drivers to recognise shapes and colours, especially in peripheral vision. This also promotes quicker driver response times.



## Application areas



Road and tunnel



Street and  
pedestrian



Commercial  
areas

## Product data

Product Code	93102211
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	156
Net weight per piece [g]	57
Gross weight per piece [g]	79
Operating position	universal
Mercury Content [mg]	15.3
UV radiance	Exempt
Brand	Tungsram
Cap/Base	E27

## Performance data

Colour Code	730
Rated Lumens [lm]	7300
Weighted energy consumption [kWh/1000h]	79.2
Rated efficacy [LpW]	101.4
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.44
Nominal chromaticity coordinate Y	0.405
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	7300
Colour Rendering Index (CRI) [Ra]	70



## Electrical data

Rated power [W]	72.0
Lamp Current [A]	0.95
Design Ambient Temperature [°C]	25
Run-up time (sec)	240
Hot restart time (sec)	900
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	70
Nominal lamp voltage [V]	95


## Logistic data

DUN Code	15994100017377
EAN Code	5994100017370
Pack Quantity	12
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	456 EUR, 588 UK
Layer quantity EUR	456
Layer quantity UK	588
Pallet quantity EUR (PC)	2280
Pallet quantity UK (PC)	2940
Outer case size	174 x 134 x 204 (mm)
Product status	Available


## Light distribution



Lumen maintenance data



## Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Product datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)