


# TUNGSRAM™

Innovation is our heritage  
EST. 1896



2090

kWh/1000h

A+

energy class

95

lumens/watt

## Sportlight™ Tubular Clear

SPL2000/220V/T/H/640/E40 TU

93102187

### Product information

Sportlight™ lamps are high light output Metal Halide Lamps with high colour rendering index. They are designed for use in sport stadia and other recreational facilities.

### Application areas



Road and tunnel



Street and  
pedestrian



Commercial areas



## Product data

Product Code	93102187
Light Center Length [mm]	287
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	430
Net weight per piece [g]	630
Gross weight per piece [g]	1200
Operating position	H75 - Horiz 75 degrees
Mercury Content [mg]	265
Brand	Tungsram
Cap/Base	E40

## Performance data

Colour Code	640
Rated Lumens [lm]	180000
Weighted energy consumption [kWh/1000h]	2090.0
Nominal efficacy [LpW]	95
Rated efficacy [LpW]	94.7
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.4
Nominal chromaticity coordinate Y	0.4
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	180000
Colour Rendering Index (CRI) [Ra]	65


### Electrical data

Rated power [W]	1900.0
Lamp Current [A]	16.5
Design Ambient Temperature [°C]	25
Run-up time (sec)	240
Hot restart time (sec)	420
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	1900
Nominal lamp voltage [V]	125


### Logistic data

DUN Code	15994100017131
EAN Code	5994100017134
Pack Quantity	4
Layer quantity	24 EUR, 24 UK
Layer quantity EUR	24
Layer quantity UK	24
Pallet quantity EUR (PC)	24
Pallet quantity UK (PC)	24
Outer case size	395 x 390 x 625 (mm)
Product status	Available

Lumen maintenance data



Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)