
TUNGSRAM

Innovation is our heritage EST. 1896









102 lumens/watt

Tulox Standard Tubular Clear

93102199

Product information

Tulox High Pressure Sodium lamps have led the way in quality and innovation. Exclusive amalgam reservoir design works to increase life expectancy and improve lumen maintenance.

With efficiencies approaching 130 lumens per watt, Tulox Standard lamps are the most efficient light source available with acceptable colour rendering. High efficiency results in lower operating costs and thus a lower electricity bill. Most Tulox lamps have an average rated life of up to 28,500 hours. Long life means lower replacement and maintenance costs.

Application areas



Road and tunnel



Street and pedestrian



Commercial areas





Tulox Standard Tubular Clear LU150/100/E40 TU 93102199

Product data

Product Code	93102199
Light Center Length [mm]	133
Bulb Shape	Tubular
Bulb Finish	Clear
Regulatory comment	EUP related
Maximum Overall Length [mm]	211
Net weight per piece [g]	155
Gross weight per piece [g]	176
Operating position	U - Universal
Mercury Content [mg]	16.434
Brand	Tungsram
Cap/Base	E40

Performance data

Rated Lumens [lm]	15490
Weighted energy consumption [kWh/1000h]	163.71
Nominal efficacy [LpW]	100
Rated efficacy [LpW]	104.1
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.53
Nominal chromaticity coordinate Y	0.41
Nominal correlated colour temperature (CCT) [K]]	2000
Nominal lumens [lm]	15300
Colour Rendering Index (CRI) [Ra]	25



Tulox Standard Tubular Clear LU150/100/E40 TU 93102199

Electrical data


Rated power [W]	148.8
Lamp Current [A]	1.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	240
Hot restart time (sec)	60
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	100

Logistic data


DUN Code	15994100017254	
EAN Code	5994100017257	
Pack Quantity	12	
Inner pack type	SLEEVE	
Layer quantity	288 EUR, 372 UK	
Layer quantity EUR	288	
Layer quantity UK	372	
Pallet quantity EUR (PC)	864	
Pallet quantity UK (PC)	1116	
Outer case size	215 x 162 x 284 (mm)	
Product status	Phased-out	



Lumen maintenance data



Survival data





Tulox Standard Tubular Clear LU150/100/E40 TU 93102199

Downloads & Links

Go to the catalog site (HTTP)

HID Lamps Spectrum Catalogue (EN) (PDF)

HPS Lucalox™ Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

Datasheet (PDF)

High-res images / Technical drawings (HTTP)