
# **TUNGSRAM**

Innovation is our heritage EST. 1896









76 lumens/watt

# Arcstream™ Tubular Clear

ARC250/T/UVC/H/960/E40 TU\*\* 93102178

### **Product information**

High brightness, high quality white light with good colour rendition and energy efficiency makes GE Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

#### **Application areas**











Commercial areas





# Arcstream™ Tubular Clear ARC250/T/UVC/H/960/E40 TU\*\* 93102178

#### Product data

Product Code	93102178
Light Center Length [mm]	150
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	220
Net weight per piece [g]	156
Gross weight per piece [g]	192
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	13.574
UV radiance	Exempt
Brand	Tungsram
Cap/Base	E40

#### Performance data

Colour Code	960
Rated Lumens [lm]	19210
Weighted energy consumption [kWh/1000h]	299.58
Nominal efficacy [LpW]	76
Rated efficacy [LpW]	70.5
Energy efficiency class (EEC)	A
Nominal correlated colour temperature (CCT) [K]]	6000
Nominal lumens [lm]	19000
Colour Rendering Index (CRI) [Ra]	90



# Arcstream™ Tubular Clear ARC250/T/UVC/H/960/E40 TU\*\* 93102178

#### Electrical data

Rated power [W]	272.3
Lamp Current [A]	2.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	270
Hot restart time (sec)	420
Ballast Required	Yes
Nominal power [W]	250
Nominal lamp voltage [V]	112


### Logistic data

DUN Code	15994100017049
EAN Code	5994100017042
Pack Quantity	12
Inner pack type	SLEEVE
Layer quantity	288 EUR, 372 UK
Layer quantity EUR	288
Layer quantity UK	372
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1116
Outer case size	215 x 162 x 284 (mm)
Product status	Available


## Arcstream™ Tubular Clear

ARC250/T/UVC/H/960/E40 TU\*\* 93102178

#### Lumen maintenance data



#### Survival data





#### Arcstream™ Tubular Clear

ARC250/T/UVC/H/960/E40 TU\*\* 93102178

#### Downloads & Links

Go to the catalog site (HTTP)
Product datasheet (PDF)
High-res images / Technical drawings (HTTP)

