JГUNGSRAM[™]

Innovation is our heritage EST. 1896




Kolorarc[™] Tubular Clear

KRC400/T/UVC/H/960/E40 TU 93102172

Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes GE Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

Application areas







(መህ) Commercial areas



D Ε

419 kWh/1000h

Product data

Product Code	93102172
Light Center Length [mm]	175
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	270
Net weight per piece [g]	168
Gross weight per piece [g]	212
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	31.967
UV radiance	Exempt
Brand	Tungsram
Cap/Base	E40

Performance data

Colour Code	960
Rated Lumens [lm]	26050
Weighted energy consumption [kWh/1000h]	418.43
Nominal efficacy [LpW]	68
Rated efficacy [LpW]	68.5
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.32
Nominal chromaticity coordinate Y	0.33
Nominal correlated colour temperature (CCT) [K]]	6000
Nominal lumens [lm]	27000
Colour Rendering Index (CRI) [Ra]	90

Electrical data


Rated power [W]	380.4
Lamp Current [A]	3.5
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	400
Nominal lamp voltage [V]	118

Logistic data


15994100016981
5994100016984
12
SLEEVE
216 EUR, 264 UK
216
264
648
792
320 x 250 x 370 (mm)
Available

TUNGSRAM

Lumen maintenance data



Survival data



Downloads & Links

Go to the catalog site (HTTP) Product datasheet (PDF) High-res images / Technical drawings (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.