

**406**  
kWh/1000h

**A**  
energy class

**59**  
lumens/watt

## Kolorarc™ Elliptical Diffuse

KRC400/D/UVC/VBU/960/E40 TU  
93102161

### Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes GE Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

### Application areas



Road and tunnel



Street and  
pedestrian



Commercial areas

## Product data

Product Code	93102161
Bulb Shape	Elliptical
Bulb Finish	Diffuse
Maximum Overall Length [mm]	282
Net weight per piece [g]	161
Gross weight per piece [g]	244
Operating position	VBU - Vert Base Up
Mercury Content [mg]	31.967
UV radiance	Exempt
Brand	Tungsram
Cap/Base	E40

## Performance data

Colour Code	960
Rated Lumens [lm]	23340
Weighted energy consumption [kWh/1000h]	405.66
Nominal efficacy [LpW]	65
Rated efficacy [LpW]	63.3
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.34
Nominal chromaticity coordinate Y	0.35
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	23500
Colour Rendering Index (CRI) [Ra]	90


Electrical data

Rated power [W]	368.8
Lamp Current [A]	3.5
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	400
Nominal lamp voltage [V]	122


Logistic data

DUN Code	15994100016875
EAN Code	5994100016878
Pack Quantity	6
Layer quantity	54 EUR, 60 UK
Layer quantity EUR	54
Layer quantity UK	60
Pallet quantity EUR (PC)	162
Pallet quantity UK (PC)	180
Outer case size	380 x 255 x 302 (mm)
Product status	Available

## Lumen maintenance data



## Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)