
TUNGSRAM

Innovation is our heritage EST. 1896







Arcstream™ Tubular Clear

ARC400/T/UVC/H/742/E40 TU 93102195

Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes GE Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

Application areas













Arcstream™ Tubular Clear ARC400/T/UVC/H/742/E40 TU 93102195

Product data

Product Code	93102195
Light Center Length [mm]	175
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	260
Net weight per piece [g]	160
Gross weight per piece [g]	202
Operating position	H15 - Horiz 15 degrees
Mercury Content [mg]	29.442
UV radiance	Exempt
Brand	Tungsram
Cap/Base	E40

Performance data

Colour Code	742
Rated Lumens [lm]	35270
Weighted energy consumption [kWh/1000h]	444.2
Nominal efficacy [LpW]	88
Rated efficacy [LpW]	87.3
Energy efficiency class (EEC)	A
Nominal correlated colour temperature (CCT) [K]]	4200
Nominal lumens [lm]	35000
Colour Rendering Index (CRI) [Ra]	70



Arcstream™ Tubular Clear ARC400/T/UVC/H/742/E40 TU 93102195


Electrical data

Rated power [W]	403.8
Lamp Current [A]	4.4
Design Ambient Temperature [°C]	25
Run-up time (sec)	270
Hot restart time (sec)	420
Ballast Required	Yes
Nominal power [W]	400
Nominal lamp voltage [V]	105


Logistic data

DUN Code	15994100017216
EAN Code	5994100017219
Pack Quantity	12
Layer quantity	288 EUR, 336 UK
Layer quantity EUR	288
Layer quantity UK	336
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1008
Outer case size	221 x 176 x 307 (mm)
Product status	Available

Lumen maintenance data



Survival data





Arcstream™ Tubular Clear ARC400/T/UVC/H/742/E40 TU 93102195

Downloads & Links

Go to the catalog site (HTTP)
Product datasheet (PDF)
High-res images / Technical drawings (HTTP)

