

43  
kWh/1000h

A  
energy class

97  
lumens/watt

## ConstantColor™ CMH Supermini

CMH35/T/UVC/U/942/GU6.5 TU  
93095262

### Product information

GE's low watt **CMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

GE's new **ConstantColor™ CMH Precise™** technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, while maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

### Application areas



Retail



Industrial

## Product data

Product Code	93095262
Light Center Length [mm]	30
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	52
Net weight per piece [g]	8
Gross weight per piece [g]	20
Operating position	U - Universal
UV radiance	Exempt
Brand	Tungsram
Cap/Base	GU6.5

## Performance data

Colour Code	942
Rated Lumens [lm]	3350
Weighted energy consumption [kWh/1000h]	42.36
Nominal efficacy [LpW]	97
Rated efficacy [LpW]	87
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.377
Nominal chromaticity coordinate Y	0.366
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	3400
Colour Rendering Index (CRI) [Ra]	90


### Electrical data

Rated power [W]	38.5
Lamp Current [A]	0.4
Design Ambient Temperature [°C]	25
Run-up time (sec)	90
Hot restart time (sec)	300
Ballast Required	Yes
Nominal power [W]	35
Nominal lamp voltage [V]	95


### Logistic data

DUN Code	15994100015908
EAN Code	5994100015901
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	1344 EUR, 1704 UK
Layer quantity EUR	1344
Layer quantity UK	1704
Pallet quantity EUR (PC)	17472
Pallet quantity UK (PC)	22152
Outer case size	106 x 82 x 82 (mm)
Product status	Available


## Light distribution



## Lumen maintenance data



## Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Product datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)