

Tuotekortti Product card



VI03-0009

Maadoituspallotappi 30 mm kulma, M12
Grounding ball stud 30 mm angled, M12

Tuotetiedot

Tuotekoodi	V103-0009	Sähkönumero	6436033	EAN-koodi	6410064360332
Tuotenimi	Maadoituspallotappi 30 mm kulma, M12			ETIM-luokka	EC002793
Johtimet	Vino tappi, sisäkierteellä				


Tekniset tiedot

Nimellisvirta (IEC)	Cu	0	A
	Al	0	A
Nimellisjännite (IEC)		0	V
Max. Virta (US)	Cu	0	A
	Al	0	A
Max. Jännite (US)		0	V
Napaluku		1	kpl
Max. Johdinkoko		150	mm ²
Kiristysmomentti			
	M12	80	Nm
	30	0	Nm
	0	0	Nm
	0	0	
		-	
Käyttölämpötila		0	°C
Paino		344	g
IP-suojaus		0	


 Väri / Materiaali **Tina pinnoitus / Kupari**

 Kiinnitys / KytKentä **Ruuvi M12**
Kuvaus

Maadoituspallotappeja käytetään erilaisten sähkölaitteiden/ keskuksien/ ajoneuvojen yms. suojamaadoitukseen. Pallotappi on valmistettu kuparitakeesta ja pinnoitettu tinalla.

Mittakuva

Pakkaus

Pakkausmuoto	Laatikko	Kpl / Pakkaus	10	Paino [kg]	3,569
Pituus [mm]	120	Leveys [mm]	130	Korkeus [mm]	100

Ouneva Oy

Teollisuustie 21
 FI-82730 Tuupovaara
 Finland

Tel. +358 400 179 750
info@ouneva.fi

www.ounevagroup.fi
www.ounevaproducts.fi

Product data

Product code	VI03-0009	STK-code	6436033	EAN-code	6410064360332
Product name	Grounding ball stud 30 mm angled, M12			ETIM class	EC002793
Wires	Inclined with female thread				

Technical data

Nominal current (IEC)	Cu	0	A
	Al	0	A
Nominal voltage (IEC)		0	V
Max. Current (US)	Cu	0	A
	Al	0	A
Max. Voltage (US)		0	V
Number of poles		1	pcs
Max. Cross section		150	mm ²
Tightening torque			
	M12	80	Nm
	30	0	Nm
	0	0	Nm
	0	0	Nm
		-	
Operating temperature		0	°C
Weight		344	g
IP-protection		0	




Color / Material **Tin plated / Copper**

Mounting / Connection **Screw M12**

Description

Permanent grounding ball studs to be used for grounding in different electrical systems such as switchgear, bus bars, conductors, vehicles, reels etc. The Grounding ball stud is made of forged copper and it is coated with tin.

Drawing

Package

Package	Box	Pcs / Package	10	Weight [kg]	3,569
Length [mm]	120	Width [mm]	130	Height [mm]	100

Ouneva Oy

Teollisuustie 21
FI-82730 Tuupovaara
Finland

Tel. +358 400 179 750
info@ouneva.fi

www.ounevagroup.fi
www.ounevaproducts.fi