

GSM Controller



Smart Device
NEW

SS1106

GSM Gate Opener

SS1106B-03



Introduction

The GSM Gate Opener(SS1106) is a wireless remote control on/off switch that connects to the GSM cell phone network. It is activated by calling it's mobile phone number. There are no call costs incurred when dialling, the unit will then reject the call without answering and switch on the device connected to it. This product is ideal for anyone who is often away from home, and needs control over their equipment remotely. With this system you can authorize up to 1152 mobile phones to open the gate without cost. This model supports two Relay outputs so you can remote control two individual doors via the command.

Features

- Open the door through phone call without fee
- Set by SMS or call
- Authenticated by Caller ID of mobile
- 1152 user caller ID access control by free call
- Remotely operate in the mobile network in the world
- Safety guard for your house
- Two Digital inputs for door sensors, when any one of them is triggered, will send SMS alert message you immediately
- 2 outputs / 3 inputs
- Check dial in and out numbers log via SMS

Specification


Power supply	AC or DC 12V-24V/1A
Power consumption	12V input Max. 50mA/Average 50mA
Band Frequency	GSM Quad bands 850/900/1800/1900 MHz
SIM Card	Standard mini SIM Card
Relay Rating	10A/240VAC
Antenna	50 Ω SMA Antenna interface
Temperature range	-20-+60°C
Humidity range	Relative humidity 90% (condensation free)
Exterior dimension	90mm*60mm*27mm
Net Weight	300 g

Search "**GSM controller**" on Google Play

or click below icon to download the APP for your Android Phone.



Application



GSM opener - Parking barrier application

GSM Gate Openers to open gates, doors, shutters and barriers by a simple phone call. Just dial a number to open the barrier to enter the car park.

