

DATASHEET

SC Duplex Adapter with Plastic housing



Description

SC Duplex Adapter with Plastic Housing

General data

Type of connector connection 1	SC-duplex
Type of connector connection 2	SC-duplex
Design	SC-duplex
Type of housing	With flange
Dust cover	yes
Accessories	Self-Tapping Screw

Mechanical characteristics

Housing material	plastic
Type of fastening	screw/lock
Sleeve material	ceramic

Dimensions

Length	27,1 mm
Width	34,6 mm
Height	9.3 mm

Environmental conditions

Operating Temperature	-40 – 75 °C
Storage temperature	-40 – 85 °C

Standards, approvals, certifications

Conform to Standard	IEC61754-4
---------------------	------------

Available variants

Article no.	Title	Category	Colour	Suitable for type of fibre	Type	Insertion loss 1310nm	Insertion loss 850nm
-------------	-------	----------	--------	----------------------------	------	-----------------------	----------------------

This datasheet was created automatically on 04-06-2020 . Technical changes reserved.



SC Duplex Adapter with Plastic housing

53333.1OM5	Adapter SC Duplex OM5 one piece, lime green, ceramic sleeve	OM5	lime green	Multimode	SC / PC		< 0,15 dB
53333.1	Adapter SC Duplex OM4 one piece, erica violet, ceramic sleeve	OM4	erica-violet	Multimode	SC / PC		< 0,15 dB
53356.1	Adapter SC Duplex OM3 one piece, aqua, ceramic sleeve	OM3	aqua	Multimode	SC / PC		< 0,15 dB
53303.32	Adapter SC Duplex OM1/2 one piece, beige, ceramic sleeve	OM2	beige	Multimode	SC / PC		< 0,15 dB
53316.3	Adapter SC Duplex SM one piece, blue, ceramic sleeve	OS2	blue	Singlemode	SC / PC	< 0,15 dB	
53316.35	Adapter SC/APC Duplex SM one piece, green, ceramic sleeve	OS2	green	Singlemode	SC / APC	< 0,15 dB	


This datasheet was created automatically on 04-06-2020 . Technical changes reserved.



SC Duplex Adapter with Plastic housing

Technical drawings

SC/SC Duplex Adapter Multimode



accessory

53215.1	Laser protection cover for SC Adapters
80550.1-50	Self-tapping screw

This datasheet was created automatically on 04-06-2020 . Technical changes reserved.